Fleet 56" Ceiling Fan 3-112-1515



FIXTURE TYPE _ LOCATION _ PROJECT_ **DATE**









- -1515*
- * Provided with Gold and black blade hardware

8 Blades / 56" Blade Sweep / 13° Blade-Pitch 4" and 6" downrod (Included) **SPECIFICATIONS**

Optional downrods available for high ceilings

6 Speeds - Reversible;

0.36A on high / 0.04A on low 28W on high / 3W on low 155 rpm on high / 50 rpm on low Wall control (Included)

Remote control 3-8-2000-0 (Optional)

INPUT VOLTAGE 120V

ENERGY

SPECIFICATIONS Airflow: 7662 CFM

Electric Energy Consumption: 30W (Excludes Lights)

Airflow efficiency: 248 CFM/W Note: Measured at high speed

FINISHES White (-6), Polished Nickel (-20), Oiled Bronze (-22),

Satin Nickel (-24), Black (-15)

STANDARDS UL Damp

OPTIONAL LIGHT INFORMATION

3-9-108-40 376lm (LM-79) LIGHT KIT NUMBER

LUMEN OUTPUT LED Light kit 18W, 3000K, 90CRI`

Dimmable LED with matte White Glass diffuser


LIGHT KIT NUMBER 3-1084-6 556lm (LM-79),


LUMEN OUTPUT LED Light kit 18W, 3000K, 90CRI`

Dimmable LED with matte White Glass diffuser

FINISHES BOTH

-40 AB, -24 SN, -15 BK, -6 WH, All: Matte White Diffuser **LIGHT KITS:**





DIMENSIONS Blade Sweep: 56" H: 15" (Using 6" Rod)

Ht Ceiling to blades: 13" (using 6" rod)





