

TEMPLE Ceiling Fan

3-115-xxx

oxygen

FIXTURE TYPE _____

LOCATION _____

PROJECT _____

DATE _____



-15 Black/Weathered Gray Wood Blades



-24 Satin Nickel/Weathered Gray Wood Blades



-640 White/Aged Brass/White Wood Blades

SPECIFICATIONS

- 5 ABS Blades / 56" Blade Sweep / 13° Blade-Pitch
- 125mm DC Motor
- 4" and 6" downrod (Included)
- Optional downrods available for high ceilings
- 6 Speeds - Reversible with wall control
- 0.37A on high / 0.04A on low
- 26W on high / 2W on low
- 150 rpm on high / 50 rpm on low
- Wall Control (Included)



INPUT VOLTAGE 120V

ENERGY SPECIFICATIONS

- Airflow: 6339 CFM
- Electric Energy Consumption: 31 W (Excludes Lights)
- Airflow efficiency: 204 CFM/W
- Note: Measured at high speed

FINISHES Black (-15), Satin Nickel (-24), White/Aged Brass (-640)

STANDARDS cUL Wet listed



Blade Sweep

DIMENSIONS

Blade Sweep: 56.00"

Ht.: 13.00"

Ceiling to blades: 9.50"

Note: Measured using 4" downrod

LIGHT INFORMATION

LUMEN OUTPUT Delivered: 1026 lm (LM-79)

LIGHT SOURCE LED Light 24W, 3000K, 90CRI
Dimmable LED with matte white glass diffuser



ENERGYGUIDE

Estimated
Yearly Energy Cost

\$5

Cost Range of Similar Models (19 – 84)

\$3 | | | \$34

• Based on 12 cents per kWh and 6.4 hours use per day
 • Your cost depends on rates and use
 • Energy Use: 19 Watts

All estimates based on typical use, excluding lights

Airflow

4,340

Cubic Feet Per Minute

• The higher the airflow, the more air the fan will move
 • Airflow Efficiency: 204 Cubic Feet Per Minute Per Watt

ftc.gov/energy